

**LIST OF ITEMS FOR THE PROCUREMENT OF CONSTRUCTION, PLUMBING AND ELECTRICAL TOOLS AND SUPPLIES
(1st and 2nd Quarter)
IB NO. 2021-04**

ITEM NO.	DESCRIPTION			END-USER
A.	1 LOT SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION AND PLUMBING SUPPLIES			1,197,892.00
BREAKDOWN:				
A.1	CONSTRUCTION SUPPLIES			
1	20	pcs	10mm Deformed Bar	GSO-LU
2	10	pcs	8mm Roundbar	GSO-LU
3	10	pc	Angle bar ¼"x1½"x20ft.	CSAC
4	50	pcs	Angle grinder Cutting Disc , 4" diameter	CEAT
5	50	pcs	Angle grinder Grinding disc, 4" diameter	CEAT
6	30	pcs	Barrell bolt, 3"	GSO
7	2	box	Blind Rivets 1/8"x 1/2"	GSO
8	2	box	Blind Rivets 1/8"x 3/4"	GSO
9	2	box	Blind Rivets 5/32"x 1"	GSO
10	2	box	Blind Rivets 5/32"x3/4"	GSO
11	25	lit	Body filler(maselya)	GSO
12	5	pair	Carbon brush for makita angle grinder, small	GSO
13	5	pair	Carbon brush, for planer 1100 makita	GSO
14	5	pair	Carbon brush, for planer 1900 makita	GSO
15	5	pair	Carbon brush, for speed cutter makita	GSO
16	161	bags	Cement	GSO-LU(20); HRDO(10); CSAC(30); COARDC(101)
17	10	m	Chain (kadena, heavy duty)	CSAC
18	1450	pc	CHB, 4"	COARDC
19	1	pcs	Claw hammer, 16 oz x , 12-13 " handle	CA
20	5	pcs	Clear glass 1/4" x 4 x 8'	GSO
21	10	gals	Concrete Bond/Plexi bond	GSO
22	5	kgs	Concrete nail, 1 "	GSO
23	5	kgs	Concrete nail, 2"	GSO
24	5	kgs	Concrete nail, 3"	GSO
25	5	kgs	Concrete nail, 4"	GSO
26	100	pcs	Construction gloves, rubber palm, green	GSO
27	1	pc	Cordless Screw Driver Chuck Size 1/4in Speed 180rpm Battery Type Li-ion Battery Capacity 1.3Ah Battery Charge Time 5h Voltage Rating 3.6V Drive Shape Hex	IHFSA
28	5	pcs	Corrugated G.I sheets.4mm32"x10",preainted green	GSO
29	5	pcs	Corrugated G.I sheets.4mm32"x12",preainted green	GSO
30	1	pcs	Crow bar, 24", Heavy Duty, Heat treated	CA
31	36.5	cu.m.	Crushed Sand	GSO-LU(2); COARDC(27); CSAC(7.5)
32	5	pc	Cutting disc (metal; 355x3x25.4mm; 14"x½"x1"; 41-A/F30P4BF; max:80m/s; RPM.4400	CSAC

ITEM NO.	DESCRIPTION			END-USER
33	10	pc	Cutting disc Type:Stainless Steel cutting Material: Stainless Steel Color: Black Size: 125mm (5") x 1.2mm x 22mm (Diameter x Thickness x Inner Diamete)(1cm=0.39Inches)	IHFSA
34	10	pcs	Cutting Disc, 4" Ø	GSO-LU
35	1	box	CWN, 1"	GSO
36	1	box	CWN, 2 1/2"	GSO
37	1	box	CWN, 2"	GSO
38	2	box	CWN, 3"	GSO
39	1	box	CWN, 4"	GSO
40	15	pcs	Cylindrical hinges 1"	GSO
41	6	pcs	Diamond angle Grinder cutting Disc, 4" diameter	CEAT
42	3	pcs	Diamond Wheel, 4" Ø	HRDO
43	30	pcs	Door knob, privacy type,heavy duty	GSO
44	30	pcs	Drawer lock, desk, heavy duty	GSO
45	1	set	Drill bit set 6pcs metal drill bits ,size:3,4,5,6,8,10mm 5pcs concrete drill bits,size:4,5,6,8,10mm 5pcs wood drill bits,size:4,5,6,8,10mm	IHFSA
46	40	lit	Elastomeric sealant, all weather	GSO
47	2	pc	Elbow ¾, GI ? PVC?	CSAC
48	10	Gal	Enamel Paint , Gloss Latex (White)	CRAC
49	10	Gal	Enamel Paint , Gloss Latex (Yellow)	CRAC
50	10	Gal	Epoxy Primer	CRAC
51	1	kg	Finishing nails 1 1/2"	GSO
52	1	kg	Finishing nails 2 1/2"	GSO
53	1	kg	Finishing nails 3"	GSO
54	10	roll	Fishing line, .5mm, tanse	GSO
55	2	pcs	G.I Nipple, 6" x 1" Ø	HRDO
56	3	pcs	G.I Nipple, 6" x 1/2" Ø	HRDO
57	8	pcs	G.I Pipe (S-20, 2" diameter)	GSO-LU
58	10	pc	G.I pipe 1" S20	CSAC
59	5	pc	G.I pipes ½"	CSAC
60	25	kgs	G.I tie wire # 16	GSO
61	3	kg	G.I wire #24	HRDO
62	2	pcs	Gate Valve, 1" Ø diameter	HRDO
63	2	pcs	Gate Valve, 1/2" Ø diameter	HRDO
64	5	pc	GI PIPE, S40 – 1-3/4	IHFSA
65	25	kg	GI wire, #12	IHFSA
66	18	cubic	Gravel, crushed, 3/4	COARDC
67	30	pcs	Grinding stone disc 4"	GSO-LU(5); HRDO(5); GSO(30)
68	30	pcs	Hacksaw blade, HD	GSO
69	30	pcs	Hinge 3"x3", Heavy duty	GSO
70	30	pcs	Hinge 4"x4", Heavy duty	GSO
71	15	pcs	Hook & eye, 3"	GSO
72	10	roll	Interlinks 4x4; 5ft.	CSAC
73	15	gals	Lacquer Thinner	GSO
74	40	pcs	Laminated Wood (1x12x10)	CRAC
75	25	pcs	Lumber 1"x2"x10, S4S, Imported pinewood	GSO
76	25	pcs	Lumber 2"x2"x8', S4S, Imported pinewood	GSO
77	25	pcs	lumber 2"x3"x10', S4S, Imported pinewood	GSO
78	25	pcs	Lumber moulding 1"x1"x8', S4S, Imported pinewood	GSO
79	25	pcs	Lumber moulding 1"x2"x8', S4S, Imported pinewood	GSO
80	50	pcs	Marine Plywood 1/4"x4'x8'	GSO
81	30	pcs	Masonry bit 3mm	GSO

ITEM NO.	DESCRIPTION			END-USER
82	30	pcs	Masonry bit 5mm	GSO
83	20	pcs	Masonry bit 6.5mm	GSO
84	15	pcs	Masonry bit 8mm	GSO
85	15	pcs	Masonry bit 9.5mm	GSO
86	5	pcs	Masonry bit, 13mm	GSO
87	30	pcs	Masonry bit, 4mm	GSO
88	15	pcs	Metal bit 1/4" ø, HS	GSO
89	30	pcs	Metal bit 1/8" ø, HS	GSO
90	30	pcs	Metal bit 3/16" ø, HS	GSO
91	30	pcs	Metal bit 5/32" ø, HS	GSO
92	50	pcs	Metal cutting disc 4"	GSO
93	15	pcs	Metal cuttings disc 14"	GSO
94	20	pack	Mop yarn, polyester	IHFSA
95	2	pc	Nipple ¾; 5" silicon	CSAC
96	2	pc	Nipple ¾; 8" silicon	CSAC
97	15	gal	Paint , Choco Brown, QDE	GSO
98	10	lit	Paint , thalo green, tinting color, 1/4	GSO
99	10	pcs	Paint brush 1", long bristle, HD	GSO
100	10	pcs	Paint brush 2", long bristle, HD	GSO
101	10	pcs	Paint brush 3", long bristle, HD	GSO
102	10	pcs	Paint brush 4", long bristle, HD	GSO
103	4	can	Paint gloss latex, 4 li, yellow and white	IHFSA
104	10	pcs	Paint roller 4", plastic handle w/ pan	GSO
105	15	pcs	Paint roller foam, 4"	GSO
106	15	pcs	Paint roller foam, 7"	GSO
107	30	gal	Paint Thinner	GSO
108	20	gal	Paint, Bone Ivory, latex	GSO
109	20	gal	Paint, Bone ivory, QDE	GSO
110	20	gal	Paint, Choco Brown , Latex	GSO
111	20	gal	Paint, Flat latex gloss white	GSO
112	10	lit	Paint, Hansa yellow, tinting color, 1/4	GSO
113	20	gal	Paint, QDE White	GSO
114	10	gal	Perma liquid tile adhesive (per gal)	GSO
115	10	pc	Phenolic Plywood (3/4" thick)	CRAC
116	10	pcs	Plain Round Bar, 16mm ø x 6m	HRDO
117	10	pcs	Plain Round Bar, 8mm ø x 6m	HRDO
118	25	pcs	Plywood Marine 3/4"x4'x8'	GSO
119	10	gal	Power bond	GSO
120	25	pcs	Puller, 5", heavy duty, antique, w/ screw	GSO
121	25	pcs	Puller, 4", heavy duty, antique, w/ screw	GSO
122	2	pcs	Replacement Piece, G.I to hose, 1/2" ø	HRDO
123	2	cu.m.	River Sand	GSO-LU
124	1	cu.m.	River Sand (fine)	HRDO
125	1	pc	Roofing sheet cutter, heavy duty ?	IHFSA
126	10	pc	Round bar 12mm; standard size	CSAC
127	5	pcs	Router bits, assorted size and style, flap	GSO
128	10	pc	RSB, 10 mm	IHFSA
129	30	pairs	Rubber Rain boots, 10 pcs each size, 7", 8", 8 1/2"	GSO
130	10	pcs	Sanding Disc, 4"	GSO-LU
131	10	yard	Sanding paper # 100	GSO
132	10	yard	Sanding paper # 120	GSO
133	10	yard	Sanding paper # 80	GSO
134	10	gal	Sanding sealer	GSO
135	10	pair	Scrapper Putty Knife (Palita), 4"	GSO
136	1	set	Screwdriver, 1 set (11 pcs flat head, assorted size, Range: 3/16" - 3/8" , carbide tip), rubberized individual handle	CEAT
137	1	set	Screwdriver, 1 set (11 pcs philip head, assorted size, Range: #2 - #5 , carbide tip), rubberized individual handle	CEAT

ITEM NO.	DESCRIPTION			END-USER
138	1	set	Screwdriver, set (slotted stubby 1/4" x 13/4", slotted stubby 1/4" x 4", slotted stubby 5/16" x 6", slotted precision pocket 1/8" x 3", cabinet slotted 3/16" x 3", phillips precision pocket # 0 x 2 1/4", phillips stubby #2 x 1 3/4", phillips # 1 x 3", phillips #2 x 4", phillips #3x6")	NPRCRTC
139	25	tube	Silicon sealant, Clear	GSO
140	1	unit	Stainless steel flat sheet, 316 A4, 500mm x 300mm, 1.5mm thick	IHFSA
141	2	pcs	Stainless steel roofing sheet, 4x8 ft, .04mm thick	IHFSA
142	135	pc	Steel bar, 10mm	CSAC(15); COARDC(120)
143	10	pc	Steel bar, 16mm	CSAC
144	2	pc	Tape Measure, 100 meters, dual sided, metric and english system	CA
145	250	pcs	Tek screw 2"	GSO
146	6	pcs	Tek screw adaptor, w/ magnet	GSO
147	5	kgs	Tie wire, # 16	COARDC
148	3	roll	Tie wire, #16	NPRCRTC
149	10	kgs	Umbrella nail, twisted	GSO
150	10	gal	Varnish, polyutherine	GSO
151	10	pcs	Vise grip, Heavy Duty, Straight Jaw,Carbon Steel, Nickel Plated,10"	CEAT
152	5	can	WD-40, 469 ml	GSO
153	5	kg	Welding Electrode, 3/32" Ø, E6013	HRDO
154	38	kgs	Welding rod E6013, 3.2mm	COARDC(5); NPRCRTC(3); GSO-LU(5); CSAC(5); GSO (20)
155	1	roll	Wire mesh, 1/4" x 36"	HRDO
156	3	unit	Wood cutting saw blade External diameter: 110mm Internal diameter: 20mm Number of teeth: 30 Tooth: type Y Thickness: 1.5mm Max speed: 12000rev/min verify?	IHFSA
157	10	lit	Wood filler	GSO
158	15	lit	Wood glue	GSO
159	10	box	Wood screw, 1", w/ tox	GSO
A.2 PLUMBING SUPPLIES				
160	25	can	A & B Epoxy, 1/2 lit	GSO
161	50	pcs	Angle valve, 1/2" x 1/2"	GSO
162	20	pcs	Ball valve, 1/2"	COARDC
163	10	pcs	Check valve, 1/2" (horizontal)	GSO
164	10	pcs	Check valve, 1/2" (vertical)	GSO
165	5	pcs	Diamond cutting disc	GSO
166	100	pcs	Flexible hose, 1/2" x 1/2"	GSO
167	100	pcs	Flexible hose, 3/8" x 7/8"	GSO
168	5	pcs	Floating switch, electrical	GSO
169	10	pcs	Floating valve, 1"	GSO
170	50	pcs	Floor drain, 4" x 4", stainless	GSO
171	15	pcs	G.I elbow, 1"	GSO
172	25	pcs	G.I elbow, 1/2"	GSO
173	10	pcs	G.I pipe, 3/4", s 40	GSO
174	25	pcs	GI ball valve, 1/2"	GSO
175	25	pcs	GI ball valve, 3/4"	GSO
176	25	pcs	GI bell reducer, 1" x 1/2"	GSO
177	25	pcs	GI bell reducer, 1" x 3/4"	GSO
178	25	pcs	GI bell reducer, 3/4" x 1/2"	GSO

ITEM NO.	DESCRIPTION			END-USER
179	25	pcs	GI bushing reducer, 1" x 3/4"	GSO
180	25	pcs	GI bushing reducer, 3/4" x 1/2"	GSO
181	25	pcs	GI cap plug, 1/2"	GSO
182	25	pcs	GI cap plug, 3/4"	GSO
183	50	pcs	GI coupling, 1/2"	GSO
184	25	pcs	GI coupling, 3/4"	GSO
185	100	pcs	GI Faucet, 1/2"Ø brass, heavy duty	GSO
186	10	pcs	GI nipple, 1" x 4"	GSO
187	15	pcs	GI nipple, 1/2" x 2"	GSO
188	15	pcs	GI nipple, 1/2" x 4"	GSO
189	15	pcs	GI nipple, 1/2" x 6"	GSO
190	15	pcs	GI nipple, 3/4" x 2"	GSO
191	15	pcs	GI nipple, 3/4" x 6"	GSO
192	15	pcs	GI nipple, 3/4" x4"	GSO
193	25	pcs	GI pipe, 1" s-40	GSO
194	10	pcs	GI pipe, 1/2" s-40	GSO
195	10	pcs	GI pipe, 3" s-40	GSO
196	10	pcs	GI Straight elbow, 1"	GSO
197	15	pcs	GI Straight elbow, 1/2"	GSO
198	15	pcs	GI tee reducer, 1" x 3/4"	GSO
199	15	pcs	GI tee reducer, 3/4" x 1/2"	GSO
200	15	pcs	GI tee, 1/2"	GSO
201	25	pcs	GI union, 1/2"	GSO
202	10	pcs	GI union, 3/4"	GSO
203	20	pcs	Glass Mirror 1/4"x3'x4', w/ aluminum frame	GSO
204	10	pcs	Hose connector 1/2"	GSO
205	10	pcs	Hose connector 3/4"	GSO
206	25	pcs	Lavatory faucet, 1/2", stainless	GSO
207	15	pcs	Lavatory hook	GSO
208	75	set	Lever arm, stainless heavy duty, tank fittings	GSO
209	25	pcs	Metal screw, 1"	GSO
210	10	pcs	Padlock, 5D, heavy duty	GSO
211	30	pcs	PVC 1.5"Ø x 10', blue	COARDC
212	15	pcs	PVC 4"Ø x 10', orange	COARDC
213	15	pcs	PVC clean out, 2", orange	GSO
214	15	pcs	PVC clean out, 3", orange	GSO
215	15	pcs	PVC clean out, 4", orange	GSO
216	15	pcs	PVC coupling 1 1/2", blue	COARDC
217	15	pcs	PVC elbow, 2" x 45°, orange	GSO
218	20	pcs	PVC elbow, 2" x 90°, orange	GSO
219	15	pcs	PVC elbow, 3" x 45°, orange	GSO
220	15	pcs	PVC elbow, 3" x 90°, orange	GSO
221	15	pcs	PVC elbow, 4" x 45°, orange	GSO
222	15	pcs	PVC elbow, 4" x 90°, orange	GSO
223	40	pcs	PVC elbow, 1 1/2"	COARDC
224	15	pcs	PVC pipe, 2", s-1000, orange	GSO
225	5	pcs	PVC pipe, 3", s-1000, orange	GSO
226	5	pcs	PVC pipe, 4", s-1000, orange	GSO
227	15	pcs	PVC P-trap, 2", orange	GSO
228	15	pcs	PVC reducer, 3" x 2"	GSO
229	15	pcs	PVC reducer, 4" x 2"	GSO
230	30	pcs	PVC Tee 1 1/2", blue	COARDC
231	30	pcs	PVC Tee 1/2", blue	COARDC
232	15	pcs	PVC tee, 2" orange	GSO
233	15	pcs	PVC tee, 3" orange	GSO
234	15	pcs	PVC tee, 4" orange	GSO
235	15	pcs	PVC wye, 2", orange	GSO
236	15	pcs	PVC wye, 3", orange	GSO

ITEM NO.	DESCRIPTION			END-USER
237	15	pcs	PVC wye, 4", orange	GSO
238	10	pcs	Replacement piece 1/2" for connector of hose & G.I	GSO
239	10	pcs	Replacement piece 3/4" for connector of hose & G.I	GSO
240	50	pcs	Rubber flopper	GSO
241	5	bags	Solvent cement, 250cc	COARDC
242	75	can	Solvent cement, 500cc, S-blue	GSO
243	10	roll	Teflon tape, 1/2"	IHFSA
244	100	pcs	Teflon tape, tumbo	GSO
245	3	set	Water closet, w/ complete accessories & fittings	GSO
B.	1 LOT SUPPLY AND DELIVERY OF VARIOUS ELECTRICAL SUPPLIES			618,070.00
BREAKDOWN:				
246	100	pcs	12W LED bulb	GSO
247	25	pcs	2 gang CO plate	GSO
248	25	pcs	2 gang switch plate	GSO
249	25	pcs	2 gang universal surface CO	GSO
250	25	pcs	3 gang CO plate	GSO
251	25	pcs	3 gang switch plate	GSO
252	25	pcs	3 gang universal surface CO	GSO
253	15	pcs	3 prong to flat AC plug adaptor	GSO
254	25	set	3 way switch, w/ plate	GSO
255	1	unit	3-phase single shift circuit breaker, with casing	CEAT
256	25	m	Arc Welding machine cord 16 mm, 1 pc	GSO
257	25	m	Arc Welding machine cord 20 mm, 1 pc	GSO
258	3	pc	Bulb, 300 watts, incandescent	IHFSA
259	5	pair	Circuit breaker 15A	GSO
260	5	pair	Circuit breaker 20A	GSO
261	5	pair	Circuit breaker 40A	GSO
262	3	pack	Concrete staples	GSO
263	2	pcs	Convenience outlet, surface type, 2 gang plate	COARDC
264	3	roll	Cyclone Wire (Gauge 18,4' x 14")	GSO-LU
265	1	pc	Diameter tape	CF
266	2	pcs	Digital Electric Meter, 220 V, AC	CEAT
267	2	set	Drill Bits, 1 set, assorted size, for metal	CEAT
268	6	pcs	Electrical plug male, 2 prongs, flat plug	CEAT
269	100	pcs	Electrical tape (big)	GSO
270	5	rolls	Electrical tape, 0.16mm x 19mm x 16m	COARDC
271	5	roll	Electrical Tape, big	CRAC
272	3	rolls	Electrical Wire: 12mm THHN	SSO
273	15	pcs	Entrance cap, 1"	GSO
274	15	pcs	Entrance cap, 2"	GSO
275	15	pcs	Entrance cap, 3/4"	GSO
276	1	pc	Extension cord (5 meters length, universal socket), 3 gang , #16	CF
277	2	pc	Extension Cord with 3 gang outlet, heavy duty, 10 m, AWG #16, rubberized	NPRCRTC
278	1	unit	Extension cord with roller,plug 4 socket, 10A Cable Reel (L) 25m, rubberized insulator	IPA
279	2	pc	Extension Wheel, 10 m	NPRCRTC
280	6	unit	Extension Wheel, Universal, 10-15 meters, 10A, 220-250V, rubberized insulator	CA
281	1	roll	Extension wire, #12, 3.5mm ² ,multi-stranded	CEAT
282	1	roll	Extension wire, #14, 2.0mm ² ,multi-stranded	CEAT
283	1	unit	Extension wire, 10 m	IHFSA
284	2	unit	Extension wire, 10m, wire #14/16 with extension cord set, universal outlet and switch, 2500 W 10A 250V, 4 gang with individual switch	CA
285	2	pcs	Extension wire, atleast 10 meters with 6 sockets, switchable, 250v with power indicator	BUDGET
286	3	unit	Extension Wire, wheel type, 10-15 meters, load 2500w 10A, 220-250V, HD	CA

ITEM NO.	DESCRIPTION			END-USER
287	1	box	Flat cord, #14/2C (150mtr per box)	GSO
288	40	pcs	Flourescent lamp fixture 2x40	GSO
289	2	pc	Heavy duty extension wire with minimum of universal 6 gang	OP
290	25	pcs	Incandescent Light Bulb (50w)	CRAC
291	5	pcs	KSB, 100A	GSO
292	10	pcs	KSB, 15A	GSO
293	10	pcs	KSB, 20A	GSO
294	10	pcs	KSB, 30A	GSO
295	5	pcs	KSB, 60A	GSO
296	15	pc	LED Spot Light , 5 watts	ULIS
297	2	unit	Magnetic Contactor, 3TF 4122-OX, 2 NO + 2 NC,	CEAT
298	15	pcs	Male plug, heavy duty, rubberized	GSO
299	3	pc	Male Plug, rubberized, heavy duty	CRAC
300	2	pcs	Male plug,rubberized, heavy duty	COARDC
301	3	pc	Mini light bulbs, 2.8 V, 10's	CAS
302	3	pc	Mini light bulbs, 3.5 V, 10's	CAS
303	25	mtrs	Mouldflex, 1/2"	GSO
304	25	mtrs	Mouldflex, 3/4"	GSO
305	1	set	Open wrench, set, 8-32 mm(assorted size)	CEAT
306	3	pcs	Outlet, 3 gang	CRAC
307	6	pcs	Outlet, surface mount, 3 gang, heavy duty	CEAT
308	1	roll	PDX Wire #12	HRDO
309	2	box	PDX wire, #10/2C	GSO
310	3	box	PDX wire, #12/2C	GSO
311	3	box	PDX wire, #14/2C	GSO
312	50	pcs	PVC amco box	GSO
313	50	pcs	PVC clamp, 1/2"	GSO
314	50	pcs	PVC clamp, 3/4"	GSO
315	25	pcs	PVC Junction box w/ cover, 4"x4"	GSO
316	50	pcs	PVC Moulding, 1"	GSO
317	15	pcs	PVC pipe, 1/2"	GSO
318	15	pcs	PVC pipe, 3/4"	GSO
319	50	pcs	PVC utility box	GSO
320	10	pcs	Receptacle, 2", rubberized with lead wires	GSO
321	15	pcs	Receptacle, 4"	GSO
322	50	pcs	Rubber tape	GSO
323	15	pcs	Single window switch plate	GSO
324	15	pcs	Snap switch	GSO
325	10	pcs	Spark Plug (for Honda Grass Cutter, Stihl Grass Cutter, Stihl Chainsaw)	GSO-LU
326	15	pcs	Spool insulator	GSO
327	15	box	Staple wire, 1"	GSO
328	1	set	Steel Files,set(16 pcs, assorted size;flat round triangular), metal	CEAT
329	5	pcs	Steel tape, rubberized case, 8m	CEAT
330	1	set	Step-up Drill Bits, 1 set (3-12mm, titanium coated), metal	CEAT
331	1	pc	Super bright search light, rechargeable (250W-500W)	IHFSA
332	150	pcs	Switch element	GSO
333	150	pcs	T5 LED tube, long	GSO
334	72	pcs	T8 LED tube long, 20 watts	NPRCRTC
335	125	set	T8 LED lamp, long	GSO
336	75	set	T8 LED lamp, short	GSO
337	150	pcs	T8 LED tube, long	GSO
338	150	pcs	T8 LED tube, short	GSO
339	1	set	Tap and die, 1 set(20 pcs; 8mm-14 mm)	CEAT
340	2	unit	Thermal relay, 3 TH 80, 4-1X	CEAT
341	150	mtrs	THHN/THWN wire, # 30.0mm ²	GSO
342	3	box	THHN/THWN wire, #2.0mm ² (150mtr per box)	GSO
343	5	box	THHN/THWN wire, #3.5mm ² (150mtr per box)	GSO
344	2	box	THHN/THWN wire, #5.5mm ² (150mtr per box)	GSO

ITEM NO.	DESCRIPTION			END-USER
345	2	box	THHN/THWN wire, #8.0mm ² (150mtr per box)	GSO
346	150	pcs	Universal CO element	GSO
347	1	box	Wire, stranded, THHN 3.5 mm	COARDC
C.	ONE LOT SUPPLY AND DELIVERY OF VARIOUS CONSTRUCTION TOOLS AND MATERIALS			83,525.00
BREAKDOWN:				
348	1	unit	Angle grinder Rated input power: 670 W No-load speed: 12.000 rpm Grinding spindle thread: M 14 Disc diameter: 115 mm Tool dimensions (width): 77 mm Tool dimensions (length): 263 mm Tool dimensions (height): 104 mm	IHFSA
349	1	unit	Chain saw 040, chain guide bar: 22"; engine type: 2 stroke; engine displacement: 98.2 CC; fuel type: petrol	NPRCRTC
350	5	pc	Claw hammer, claw style: curve; face style: smooth; head length: 4 7/8"; overall length: 13 3/18"; style: nailing	NPRCRTC
351	2	pcs	Combination pliers, 8", electrical plier	COARDC
352	1	set	Combination wrench, 8-pcs, 8-24mm	GSO-LU
353	1	set	Combination wrench, 8-pcs, 8-24mm, combi of box and open wrench	COARDC
354	2	pcs	Combination/Linesman Pliers, long nose and electrical plier	GSO-LU
355	2	pc	Crosscut saw, contoured sturdy handle; length of saw:26"; number of teeth: 7 teeth/inch; handle with a square/meter feature with 45/90 degree angle	NPRCRTC
356	1	pcs	Electric Booster Pump, .5Hp	HRDO
357	2	pcs	Hammer	GSO-LU
358	25	pc	Hard hat, green	CF
359	1	pc	Ladder, folding	CF
360	1	pc	Long nose pliers, 8"	COARDC
361	1	pcs	Lux Light Meter,9V battery,3 1/2 digit LCD, measuring range: 200,2000,20000,200000 lux	CEAT
362	1	set	Open wrench, 8-pc double open ended wrench, 6-22mm	COARDC
363	2	pc	Pipe wrench, length: 12"	NPRCRTC
364	1	unit	Planer, continuous rating output:750W; planing width: 82mm (3 1/4"); no load speed: 16,000 rpm; overall length:415mm (16 3/8"); net weight: 5.1 kg; power supply cord: 5m long	NPRCRTC
365	2	pcs	Pliers (Long Nose)specs?	GSO-LU
366	4	pcs	Pliers, jaw capacity: 14AWG in, 8 in long	NPRCRTC
367	4	pcs	Pliers, long nose, jaw capacity: 14AWG in, 8 in long	NPRCRTC
368	25	pc	Reflector vest (yellow, Large, 5cm high reflective tape)	CF
369	1	pc	Ripsaw Number of Teeth: per Inch 7 Saw Type: Heavy Duty Saw	IHFSA
370	1	set	Screw driver, flat and philip, 8", reversible	COARDC
371	1	set	Screw Driver	GSO-LU
372	1	set	Socket Wrench	GSO-LU
373	1	pc	Tire wrench, cross wrench	COARDC

ITEM NO.	DESCRIPTION			END-USER
374	1	unit	Tool box 3-layer, metal Steel thickness (0.6-0.8mm) Size : 404mm-200mm-195mm Larger compartment space and allowed tool box open in full extension for tools picking easliy. Supplied with padlock eye.	IHFSA
375	2	pcs	Vise Grip	GSO-LU
376	3	unit	Weighing scale, digital, Electronic sf-400, 5kg max capacity, display: g/oz, power supply: 2xAA batteries, Auto zero-auto off, Low battery/overload indication	CEAT
377	1	unit	Welding Machine, 350 A, inverter	IHFSA
378	1	pc	Wood crosscut saw Blade Length: 550 mm Saw Type: General Purpose	IHFSA