

***IB 2023-28: PROCUREMENT OF VARIOUS BAKING MACHINES FOR BAKERY
PROJECT***



SECTION VII- TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS

Item	Specifications	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p> <p>NOTE: Once the bidder indicates COMPLY, it is understood all the items required per item are/ is complied with</p>
1	<p>Automatic Dough Roller - type of metal: stainless 304, thickness of press surface: 5-25mm, width of press surface: at least 350mm, production capacity: at least 250kg/h, dimensions: at least 1130 x 610 x 1060mm, motor: belt type, 220V/60Hz</p>	
2	<p>BK250 pillow packing machine - film width at least: 250mm, bag length: 65-190mm 120-280mm, bag width: 30-110mm, product height at least: 40mm, diameter of film roll: 3x.320mm, packing speed: 40-230 packs/min, power specifications: 230V/60HZ single phase, machine size: (L) 3770 x (W) 670 x (H) 1450</p>	
3	<p>Cooking Mixer GPG motor single phase, asynchronous, Motor min.: 400HP , 230V, #8 AMPS Unit: 100L double-jacketed, single phase two value capacitor asynchronous motor, 0.475KW, 230V, 5.1A</p>	
4	<p>Dough Cutting Machine - capacity: 330.6 - 440.9 lb/h, 150-200 kg/h, dough size: 0.002-0.66 lb/1-300g (adjustable grams), mould: 6 molds (can be customized), material: stainless steel, packing weight: 154.3 lb/70 kg, dough</p>	

	cutter machine's dimension :atleast 23.22 (L) x 16.53 (W) x 25.19 (H) inch/59*64cm, main motor:1Hp, cutter motor: min. 400 watts, package dimension atleast: 25.59 (L) x 19.68 (W) x 25.98 (H) inch/65*50*66cm, 230V/60 Hz	
5	Electric Bread Proofer - Double - rated power: min. 3Hp, Rated voltage: 230V/60HZ single phase, standard plate count: 26, Dimensions: atleast 985 (L) x 710 (W) x 1870 (H) mm	
6	Grinding Machine/Emulsifier - stainless steel, electricity operated by 2-3Hp motor, 230 volts single phase motor and 60 cycles. Applicable for grinding all kinds of beans and grains.	
7	Semi-Automatic Bag Closing Machine - with printer and bag closure, 230V/60Hz, single phase	
8	Spiral Mixer - type of metal: stainless 304, voltage: 230V/60Hz single phase, dimension: atleast 990 (L) x 535 (W) x 1070 (H) mm, specification:volume: atleast 60L, belt type shaft :250r/min., bowl speed:25r/min., max. flour quantity:25kg	
	XXXXXXXXXXXX	

Name of Bidder over Printed Name

Date