IB 2021-35- PROCUREMENT VARIOUS EQUIPMENT FOR BENGUET STATE UNIVERSITY- LA TRINIDAD CAMPUS

- I. Supply and Delivery of IT Equipment and Supplies
 - A. IT Equipment and Supplies under IGI fund- Php1,510,100.00
 - B. IT Equipment and Supplies under GAA fund- Php1,451,067.00
- II. Supply and Delivery of Photocopier- Php300,000.00



SECTION VI – SCHEDULE OF REQUIREMENTS

IB 2021-35- PROCUREMENT VARIOUS EQUIPMENT FOR BENGUET STATE UNIVERSITY- LA TRINIDAD CAMPUS

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Item	UNIT	Description	Quantity	Delivered Weeks/ Months
	I. Pro	curement of Various IT Equipment and Supplies		
		Equipment and Supplies under IGI		
1	Unit	Desktop computers with the MINIMUM Specifications 1. System Unit: Processor: 4 cores 4 Threads, must be in the latest generation or 1 generation lower than the latest generation; Motherboard: sealed capacitors with SLV; 4GB RAM; 500GB SSD;500W true rated PSU; ATX casing with cable management; 2. Monitor: Monitor 18.5"IPS/ LED; 3. installed with at least Windows 10 to be compatible with the BSU Enrollment software with authentic disk, Office Suite that has at least: word processor, spreadsheet, presentation. and has the capability to run on the latest smart phones and tablets; USB optical mouse and keyboard (soft touch keys); 500w AVR; all items indicated make/brand of must have existed in the market with good records in the past 7 years;	10	
2	Unit	LAPTOP with the MINIMUM specifications: processor: 6 cores 12 Threads, must be in the latest generation or 1 generation lower than the latest generation; 480GB SSD + 1TB HDD; 16Gb RAM; 15.6" FHD; with USB to LAN adapter if laptop does NOT have any LAN port; Installed with at least Windows 10 to be compatible with the BSU Enrollment software, Office Suit: Not counterfeit, has at least a presentation, word processor, and spreadsheet software, has capability to run on the latest smart phones and tablets with authentic disk; with accessories: optical mouse, bag, USB or DVD recovery disk; make/brand of must have existed in the market with good records in the past 7 years	1	
3	Unit	PRINTER with the MINIMUM specifications: print technology: OEM CIS / on-demand inkjet (piezoelectric); connectivity: at least Wi-Fi / Wi-Fi Direct and ethernet; maximum print resolution: high printing resolution of 5760x1400 dpi; scan speed (flatbed / ADF (simplex)): 200dpi, black: 12 sec / 4.5 ipm; 200dpi, color: 29 sec / 4.5 ipm; fast print speeds up to 10ipm for black and 5.0ipm for color; includes: one full set of ink bottles	2	
4	Unit	Desktop computers" Desktop Computer Set [SPECS] with the MINIMUM specifications: 1. System unit: Processor: 4 cores 4 Threads, must be in the latest generation or 1 generation lower than the latest generation; Motherboard: sealed capacitors with SLV; 4GB RAM; 240Gb SSD + 1Tb HDD; 500W true rated PSU; ATX casing with cable management; 2. Monitor: 24" LED/IPS; 3. Accessories and applications: installed with at least Windows 10 to be compatible with the BSU Enrollment software with authentic disk; Office Suite: Not counterfeit; has at least: word processor, spreadsheet, presentation. and has the capability to run on the latest smart phones and tablets with authentic disk; with accessories USB optical mouse and keyboard (soft touch keys); 500w AVR; (USB powered speaker); all items indicated make/brand of must have existed in the market with good records in the past 7 years;	7	
5	Unit	LAPTOP with the MINIMUM specifications: processor: 2 cores 4 Threads 4MB Cache Size, must be in the latest generation or 1 generation lower than the latest generation; 128GB SSD + 1TB HDD; 4Gb RAM; 14" FHD; with USB to LAN adapter if laptop does NOT have any LAN port; installed with at least Windows 10 to be compatible with the BSU Enrollment software, Office Suit: Not	1	

		counterfeit, has at least a presentation, word processor, and spreadsheet software, has capability to run on the latest smart phones and tablets with authentic disk; with accessories: optical mouse, bag, USB or DVD recovery disk; make/brand of must have existed in the market with good records in the past 7 years		
6	Unit	LAPTOP with the MINIMUM specifications: processor: 4 cores 8 Threads, must be in the latest generation or 1 generation lower than the latest generation; 480GB SSD + 1TB HDD; 16Gb RAM; 15.6" FHD; with USB to LAN adapter if laptop does NOT have any LAN port; Installed with at least Windows 10 to be compatible with the BSU Enrollment software, Office Suit: Not counterfeit, has at least a presentation, word processor, and spreadsheet software, has capability to run on the latest smart phones and tablets with authentic disk; with accessories: optical mouse, bag, USB or DVD recovery disk; make/brand of must have existed in the market with good records in the past 7 years	2	
7	Unit	with the MINIMUM specifications: Smart TV, 55" full HD with wall bracket wireless keyboard, mouse, pointer, speaker; make/brand of must have existed in the market with good records in the past 7 years	1	
8	Unit	complete set of ID card production system with software, full HD ID camera, capturing pad with battery-free pen: five years warranty on card printer lifetime warranty on print head; lifetime free service warranty; 2021 model; free installation and training on the complete ID card production system; free usage of card printer while card printer is on repair; free ID card lay outing	1	
9		PRINTER with the MINIMUM specifications: type: Print, Scan, Copy, Fax with ADF print technology: OEM CIS bi-directional printing connectivity: Wi-Fi / Wi-Fi direct and ethernet; maximum print resolution: 4800 x 2400 dpi (with variable-sized droplet technology); print speed:(black / color): approx. 32 imp / 22ipm; 2-sided printing up to A3; included: One full set of ink bottles; Warranty of 2 years or 80,000 prints, whichever comes first	1	
10	Unit	PRINTER with the MINIMUM specifications: print technology: OEM CIS / on-demand inkjet (piezoelectric); connectivity: at least Wi-Fi / Wi-Fi Direct and ethernet; maximum print resolution: high printing resolution of 5760x1400 dpi; scan speed (flatbed / ADF (simplex)): 200dpi, black: 12 sec / 4.5 imp; 200dpi, color: 29 sec / 4.5 imp; fast print speeds up to 10ipm for black and 5.0ipm for color; includes: one full set of ink bottles	2	
11	Unit	LAPTOP with the MINIMUM specifications: Processor: 2 cores 4 Threads 4MB Cache, must be in the latest generation or 1 generation lower than the latest generation; 4Gb RAM; 256 GB SSD; mouse, laptop bag; with USB to LAN adapter if laptop does NOT have any LAN port; Installed with at least Windows 10 to be compatible with the BSU Enrollment software with authentic disk, Office Suite that has at least: word processor, spreadsheet, presentation. and has the capability to run on the latest smart phones and tablets; with USB or DVD recovery disk; make/brand of must have existed in the market with good records in the past 7 years	3	
12	Unit	ALL-IN-ONE DESKTOP COMPUTER, with the MINIMUM specifications:Widescreen LCD Touchscreen Monitor, at least 27 inches display, at least 4 cores and 8 threads and must be 1 generation lower that the latest generation, at least 8GB DDR4, at least 2TB SATA +240GB SSD, wireless mouse and keyboards, at least licensed windows 10 home to be compatible with the BSU's enrollment system and with recovery disk, at least 2 HDMI port, at least 1 VGA port, at least 4 USB 3.0 port	3	
13	Set	Desktop computers with the MINIMUM Specifications 1. System Unit: Processor: 4 cores 4 Threads, must be in the latest generation or 1 generation lower than the latest generation; Motherboard: sealed capacitors with SLV; 4GB RAM; 500GB SSD;500W true rated PSU; ATX casing with cable management; 2. Monitor: Monitor 18.5"IPS/ LED; 3. installed with at least Windows 10 to be compatible with the BSU Enrollment software with authentic disk, Office Suite Not counterfeit; that has at least: word processor, spreadsheet, presentation. and has the capability to run on the latest smart phones and tablets with authentic disk; USB optical mouse and keyboard (soft touch keys);	1	

		500w AVR; all items indicated make/brand of must have existed in the	
		market with good records in the past 7 years;	
14	Unit	CELLULAR PHONE: with the MINIMUM specifications: smart phone, 128GB storage, 8GB RAM, 4, 000 or higher battery, 48MP+2MP main	1
17	Offic	camera, 16MP front	'
15	рс	LCD Projector, with the MINIMUM specifications: 5000 Lumens,	1
	РО	resolution WUXGA (1920X1200)	'
		Desktop: with the MINIMUM specifications:	
		System unit: Processor: 4 cores 4 Threads, must be in the latest	
		generation or 1 generation lower than the latest generation;	
		Motherboard: sealed capacitors with SLV; 8GB RAM; 240Gb SSD + 1Tb HDD; 500W true rated PSU; ATX casing with cable management;	
		VRAM: 4GB;	
16	set	2. Monitor: 23" LED/IPS;	1
		Accessories and applications: installed with at least Windows 10 to be compatible with the BSU Enrollment software with authentic disk;	
		Office Suite: Office Suite that has at least: word processor,	
		spreadsheet, presentation. and has the capability to run on the latest smart phones and tablets; with accessories USB optical mouse and	
		keyboard (soft touch keys); 500w AVR; (USB powered speaker); all	
		items indicated make/brand of must have existed in the market with	
		good records in the past 7 years; Office: FOSS WEBCAM: with the MINIMUM specifications: Full HD, at least 30 fpds,	
17	Unit	glass lens, omni-directional built-in microphone, at least 15 megapixels	2
		still capture, with built-in pan, tilt and zoom controls.	
18	Unit	MONITOR: with the MINIMUM specifications: 24" LED monitor with HDMI ports make/brand of must have existed with good records in the	1
10	Offic	market with good records in the past 7 years	1
19	Kit	MS Office home and student license software with kit	1
20	Kit	Windows 10 home license software with kit SUB TOTAL	1
	R IT	Equipment and Supplies under GAA	
	D. 11	Equipment and Supplies under SAA	
	Unit	Full HD LED Monitor	8
		Features: -Integrated Full HD webcam, mic array and stereo speakers -23.8-inch	
1		Full HD (1920X1080) Frameless IPS panel with wide viewing angles	
'		-Extensive connectivity with Display Port, HDMI, D -sub, Audio in,	
		Earphone jack for the most flexibility -Flicker-free and Low Blue Light technologies to ensure a comfortable viewing experience	
		-Space saving with VESA-mountable design	
2	Pcs	Webcam, for Windows PC, 1080p	36
	Pcs	Wireless Router, with the MINIMUM specifications	7
		ARM 32bit Architecture, Quad Core CPU, Routers L4, 256MB RAM,	
		128MB NAND storage, IPsec hardware acceleration, 300Mbit/s	
		Wireless 2.4GHz Max data rate, Dual 2.4GHz wireless chains, 802.11b/g/n, 3dBi Antenna gain for 2.4GHz, Wi-Fi 4 wireless 2.4GHz	
		generation, Dual 5GHz wireless chains, 802.11a/n/ac, 5.5dBi Antenna	
		gain for 5GHz, Wi-Fi 5 wireless 5GHz generation, AC1200, 5x Gigabit Ethernet ports, Passive Poe-out on Ether5 port at 0.5A Max total out,	
		1x USB type A port, 12-28V DC jack Input Voltage, 30W max power	
3		consumption, Passive cooling, Passive PoE In, 18-28V PoE in Input	
		Voltage, CE/FCC/IC/EAC/ROHS Certifications, IP20, 24V/1.5A power adapter, Base leg, wall mount set, HGO indoor antenna kit.	
		adaptor, base log, wan mount set, moo maoor amerina kit.	
		WARRANTY: 12-month warranty on materials and workmanship under	
		normal use and service by the manufacturer, except in case of damage caused by mechanical, electrical or other accidental or intended	
		damages caused by improper use or due to wind, rain, fire or other acts	
		of nature. On-call/next-business day support must be provided by local supplier/dealer.	
	set	DESKTOP COMPUTER SET –	4
		with these MINIMUM specifications requirements: 1. System unit: at	
		least 2 cores 4 Threads (6M cache, up to 3.90Ghz), must be in the latest generation or 1 generation lower than the latest generation;	
		Motherboard: DDR4 RAM support, sealed capacitors with SLV;	
4		16GbRAM (8Gb x 2pcs); 240Gb SSD + 1Tb HDD; 500W true rated	
		PSU; ATX casing with cable management; 2. Monitor: 24" LED/IPS; 3. Accessories and applications: installed with at least licensed Windows	
		10 to be compatible with the BSU Enrollment software, and licensed	
		office applications (word processor, spreadsheet, presentation) with kits; with accessories USB optical mouse and keyboard (soft touch	

		1 1 AV/D: /UOD		
1		keys); AVR; (USB powered speaker); all items indicated make/brand of must have existed in the market with good records in the past 7 years;		
	Unit	14" LAPTOP with accessories – with these MINIMUM specifications	5	
	Offic	requirements: processor: at least 2 cores 4 Threads (6M cache, up to	5	
		3.90Ghz), must be in the latest generation or 1 generation lower than		
		the latest generation; 240GB SSD + 1TB HDD; 16Gb RAM; installed		
5		with at least licensed Windows 10 to be compatible with the BSU		
		Enrollment software and licensed office applications (word processor,		
		spreadsheet, presentation); with accessories: optical mouse, bag, USB		
		or DVD recovery disk; make/brand of must have existed in the market		
		with good records in the past 7 years		
	Unit	LCD Projector, Equally high White and Color Light Output of 3,600	2	
		lumens; WXGA resolution; High contrast ratio of 15,000:1; Horizontal		
		keystone slider; 10,000 hours lamp life in eco-mode; Horizontal		
		Keystone Adjusted, Auto Power On; Auto Source Search; Split Screen		
6		Multi-PC Projection Moderator Function; Longer Lamp Life; High		
		Contrast RatioUSB Interface:USB Type A: 1 (for USB Memory, USB		
		Document Camera, for Wireless LAN Unit, Firmware Update) USB Type		
		B: 1 (for USB Display, Mouse, K/B, Control, Firmware Update)Analog Input:D-Sub 15pin: 1 (Blue molding)Composite: RCA x 1 (Yellow)Digital		
		Input:HDMI: 1 (MHL supported)Audio Input:2 RCA (White / Red): 1		
	Unit	LAPTOP	1	
	Offic		1	
		Condition: Brand New		
		with the minimum specifications:		
		Processor Specs: ARM architecture with at least 8 Cores		
		HDD Specs: at least 512 GB SSD		
7		Memory Specs: at least 8GB		
		GPU: at least 8 cores		
		Screen: Minimum of 13 inches		
		I/O with at least the ff: Thunderbolt ports, USB port/s		
		Accessories: Power Adapter with charging cable		
		SOFTWARE REQUIREMENTS		
		Operating System: Must be able to run Final Cut Pro		
8	Set	PROFESSIONAL CAMERA RECORDER AND ACCESSORIES	2	
	Set	with these minimum specification requirements: (high image quality:		
		built-in LED video light, 1/3.1-inch (type) BSI sensor, optical 20x zoom,		
		5-axis HYBRID O.I.S. + intelligent AF, 29.5mm wide-angle; recording		
		quality: super slow recording, pre-recording, still picture recording, rec		
		check, last scene delete; excellent operability: versatile professional		
		functions, dual SD card slot, histogram DRS, various WB mode, level gauge, various recording mode) battery pack, battery charger, XLR		
		microphone, 128Gb SDXC memory card, camera bag; Professional		
		IIIICIOPHONE, 12000 3DAC MEMONY CAIU, CAMEIA DAY, FIOLESSIONAL		
1		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate		
		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag)	1	
		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES	1	
		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5	1	
		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29	1	
9		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD:	1	
9		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display	1	
9		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD:	1	
9		Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional	1	
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate	1	
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag)		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro—USB Cable, 1 carrying case and 1 32gb micro—SD Card		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro—USB Cable, 1 carrying case and 1 32gb micro—SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro—USB Cable, 1 carrying case and 1 32gb micro—SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro—USB Cable, 1 carrying case and 1 32gb micro—SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro—USB Cable, 1 carrying case and 1 32gb micro—SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro–USB Cable, 1 carrying case and 1 32gb micro–SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro–USB Cable, 1 carrying case and 1 32gb micro–SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw)		
9	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro–USB Cable, 1 carrying case and 1 32gb micro–SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro–USB Cable, 1 carrying case and 1 32gb micro–SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range - 2-98 ft (0.7-30)		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro–USB Cable, 1 carrying case and 1 32gb micro–SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range - 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro–USB Cable, 1 carrying case and 1 32gb micro–SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range - 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m)		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro–USB Cable, 1 carrying case and 1 32gb micro–SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range - 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m) Camera: Sensor- 1-inch CMOS and Effective pixels: 20M; Lens- FOV		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro—USB Cable, 1 carrying case and 1 32gb micro—SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range- 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m) Camera: Sensor- 1-inch CMOS and Effective pixels: 20M; Lens- FOV 84° 8.8 mm/24 mm (35 mm format equivalent) f/2.8-f/11 auto focus at 1		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro−USB Cable, 1 carrying case and 1 32gb micro−SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range- 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m) Camera: Sensor- 1-inch CMOS and Effective pixels: 20M; Lens- FOV 84° 8.8 mm/24 mm (35 mm format equivalent) f/2.8-f/11 auto focus at 1 m-∞; ISO Range- Video 100-3200 (Auto) and 100-6400 (Manual),		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro−USB Cable, 1 carrying case and 1 32gb micro−SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level- 19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range- 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m) Camera: Sensor- 1-inch CMOS and Effective pixels: 20M; Lens- FOV 84° 8.8 mm/24 mm (35 mm format equivalent) f/2.8-f/11 auto focus at 1 m-∞; ISO Range- Video 100-3200 (Auto) and 100-6400 (Manual), Photo 100-3200 (Auto) and 100-12800 (Manual); Mechanical Shutter		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro−USB Cable, 1 carrying case and 1 32gb micro−SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level- 19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range- 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m) Camera: Sensor- 1-inch CMOS and Effective pixels: 20M; Lens- FOV 84° 8.8 mm/24 mm (35 mm format equivalent) f/2.8-f/11 auto focus at 1 m-∞; ISO Range- Video 100-3200 (Auto) and 100-6400 (Manual), Photo 100-3200 (Auto) and 100-12800 (Manual); Mechanical Shutter Speed- 8-1/2000 s; Image Size- 3:2 Aspect Ratio: 5472×3648, 4:3		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro−USB Cable, 1 carrying case and 1 32gb micro−SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level-19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range- 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m) Camera: Sensor- 1-inch CMOS and Effective pixels: 20M; Lens- FOV 84° 8.8 mm/24 mm (35 mm format equivalent) f/2.8-f/11 auto focus at 1 m-∞; ISO Range- Video 100-3200 (Auto) and 100-6400 (Manual), Photo 100-3200 (Auto) and 100-12800 (Manual); Mechanical Shutter Speed- 8-1/2000 s; Image Size- 3:2 Aspect Ratio: 5472×3648, 4:3 Aspect Ratio: 4864×3648 and 16:9 Aspect Ratio: 5472×3648, 4:3		
	Set	Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) 4K HANDYCAMERA AND ACCESSORIES with these minimum specification requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm]) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger; Professional Video Camcorder Tripod with Fluid Dray Head Quick Release Plate 15kg Payload with Carry Bag) DRONE WITH 1 REMOTE CONTROL (Standard without screen), 2 intelligent flight battery, 1 charger, 1 power cable, 4 pairs propellers, 1 gimbal clamp,1 micro−USB Cable, 1 carrying case and 1 32gb micro−SD Card Aircraft: Weight (Battery & Propellers Included)- 1375 g; Diagonal Size (Propellers Excluded)- 350 mm; Max Service Ceiling Above Sea Level- 19685 ft (6000 m); Max Wind Speed Resistance- 10 m/s; Max Flight Time- Approx. 30 minutes; Operating Temperature Range- 32° to 104°F (0° to 40°C); Satellite Positioning Systems- GPS/GLONASS Gimbal: Stabilization- 3-axis (pitch, roll, yaw) Vision System: Forward Vision System, Backward Vision System, and Downward Vision System; Obstacle Sensory Range- 2-98 ft (0.7-30 m); Infrared Sensing System: Obstacle Sensory Range- 0.6-23 feet (0.2-7 m) Camera: Sensor- 1-inch CMOS and Effective pixels: 20M; Lens- FOV 84° 8.8 mm/24 mm (35 mm format equivalent) f/2.8-f/11 auto focus at 1 m-∞; ISO Range- Video 100-3200 (Auto) and 100-6400 (Manual), Photo 100-3200 (Auto) and 100-12800 (Manual); Mechanical Shutter Speed- 8-1/2000 s; Image Size- 3:2 Aspect Ratio: 5472×3648, 4:3		

		MP4/MOV (AVC/H.264; HEVC/H.265) format; Supported SD Cards-		
		microSD with Max Capacity of 128 GB and Write speed of ≥15MB/s, Class 10 or UHS-1 rating required		
		Remote Controller: Operating Frequency- 2.400-2.483 GHz and 5.725-5.850 GHz, Max Transmission Distance- 2.400-2.483 GHz, 5.725-5.850 GHz (Unobstructed, free of interference); Battery- 6000 mAh LiPo 2S; Operating Current/Voltage- 1.2 A@7.4 V; Video Output Port-HDMI and USB; Mobile Device Holder- Built-in display device (5.5-inch screen, 1920×1080, 1000 cd/m2, Android system, 4 GB RAM+16 GB ROM) for Tablets and smart phones		
		Charger: Voltage- 17.4 V and Rated Power- 100 W		
		Intelligent Flight Battery: Capacity- 5870 mAh; Voltage- 15.2 V; Battery		
		Type- LiPo 4S; Energy- 89.2 Wh; Net Weight- 468 g; Charging Temperature Range- 41° to 104°F (5° to 40°C); Max Charging Power- 60 W		
	Set	CAMCORDER FOR VIRTUAL CONFERENCE AND VIDEO RECORDING	1	
		with Inclusion: Rechargeable Battery Pack (NP-FV70/NP-FV70A) (1), AC Adapter (1), Power Cord (1), Operating Guide (1), HDMI (micro) Cable (1), micro–USB Cable (1)		
		Specifications:		
		SCREEN TYPE:7.5 cm Extra Fine LCD display (921x 600 dots) Wide (16:9), TOUCH PANEL, ANGLE ADJUSTMENT- Opening angle: max. 90 °, turning angle: max. 270 °.		
		LENS: LENS FILTER DIAMETER- 55 mm; LENS COVER- Auto; APERTURE- F 2.0-3.8; FOCAL DISTANCE- f = 4.4-88 mm; FOCAL		
		LENGTH (35 MM EQUIVALENT) (VIDEO)- f=26.8-536.0 mm (16:9);		
		MINIMUM FOCUS DISTANCE- approx. 1 cm (Wide), approx. 80 cm (Tele), approx. 13/32 in (Wide), approx. 31 1/2 in (Tele); IRIS		
		DIAPHRAGM- 6 blades		
		Focus: FOCUS TYPE-Contrast AF; FOCUS MODE- Auto/Manual		
		(Touch Panel/Ring); FOCUS AREA- Full Range Focus/Spot Focus; FAST INTELLIGENT AF- Yes; LOCK-ON AF-Yes8; MANUAL FOCUS		
		ASSIST- Magnified display for precise manual focus, Peaking Display		
		Storage Media: MEDIA TYPE- internal Flash Memory, XAVC S 4K (100 Mbps): SDHC Memory Card (4 GB or over, UHS-I U3 or Higher)/SDXC		
11		Memory Card (UHS-I U3 or Higher); INTERNAL MEDIA- Flash Memory 64 GB		
		Audio: MICROPHONE- Built-in Zoom Microphone; SPEAKER- Monaural Speaker		
		Advanced Feature: HIGH SPEED REC at 120p/1920 x 1080, 100/60 Mbps; SCENE SELECTION- Auto/Night Scene/Sunrise &		
		Sunset/Fireworks/Landscape/Portrait/Spotlight/Beach/Snow Projector: LIGHT OUTPUT- Up to 50 lumens; RESOLUTION OUTPUT-		
		854 x 480; PROJECTED IMAGE SIZE- 10 type – 200 type;		
		ENDURANCE (BATTERY LIFE)- approx.2h25m (Supplied Battery); PROJECTOR INPUT- Yes (HDMI micro)21; with KEYSTONE ADJUSTMENT		
		Wireless Function: Wi-Fi Compatible, IEEE 802.11b/g/n (2.4 GHz band;		
		NFC forum Type Tag compatible; compatible for LIVE STREAMING and MULTI CAMERA CONTROL		
		Terminal / Shoe: Multi Interface Shoe; HDMI TERMINAL of HDMI		
		micro; PROJECTOR INPUT-HDMI micro; MULTI/MICRO USB TERMINAL; REMOTE TERMINAL- integrated into Multi/Micro USB		
		Terminal; STD OUTPUT- Composite Video Out (AV CABLE);		
		MICROPHONE INPUT- Stereo minijack; HEADPHONE JACK- Stereo minijack; MEMORY CARD SLOT- Memory Stick PRO Duo and		
		SD/SDHC/SDXC compatible; DC IN Power: BATTERY TYPE- Info LITHIUM with AccuPower Meter System		
		(V Series); POWER CONSUMPTION (LCD)- 4K: 4.9 W27; POWER		
		CONSUMPTION (VIEWFINDER)- 4K: 4.9 W27; POWER REQUIREMENTS- 6.8 V/7.3 V (battery pack), 8.4 V (AC Adapter);		
		CHARGE ON CAMCORDER (CHARGING TIME WITH SUPPLIED		
		BATTERY)- Yes (approx. 3h 25min); USB CHARGING- DC 5 V 1500		
	unit	mAh SMART TV, 65"		
		3840 x 2160p, RF antenna, LAN port, USB in, Optical Digital Audio out,		
		HDMI 2.0, Wi-Fi built-in, Bluetooth, webOS 6.0, Mobile Connection, Al Sound, Picture Mode, Dynamic Color, Al Game Sound, HEVC 4K 60p		
12		codec, Power Requirement: AC 100-240V 50/60Hz		
		Includes 1 year warranty, with bracket/wall mount that can stably		
		support the tv, power cable, remote Controller, batteries, and user		
		manual	1	

	II. P	rocurement of Photocopier		
Item		Item Description		
1	unit	Photocopier with the MINIMUM specifications Prints up to 86,000 pages in the black or 84,000 pages in color with a speed of 35ppm draft printing, duplex printing, 1 pass duplex scanning, usb port versatile paper handling capabilities network connectivity and standalone capability (ethernet, wifi, RJ-11 fax Wi-Fi Direct, NFC and USB 3.0	1	
		XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX		

 Name of Bidder over Printed Name	
 Date	