

SECTION VII- TECHNICAL SPECIFICATIONS



TECHNICAL SPECIFICATIONS

Item	Specifications	Statement of Compliance
		<p><i>[Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]</i></p> <p>NOTE: Once the bidder indicates COMPLY, it is understood all the items required per item are/ is complied with</p>
1	<p>PHOTOCOPIERS</p> <ul style="list-style-type: none"> - Copier Printer Fax Scanner with LAN - Memory: at least 2Gb; HDD: at least 250 GB capacity; with ARDF and SPDF functions; power source: 220V, 60Hz - Copying: multiple copying: at least up to 999 copies; Resolution: at least 600 dpi/ 4 bit; Zoom: From 25% to 400% in 1% step, Resolution: at least 1,200 x 600 dpi, - SCANNER: Scanning Speed of ARDF Max. 80 originals per minute; SPDF Max. 110 (simplex)/ 180 (duplex) originals per minute; Resolution: Maximum 1,200 dpi; Original size: A3, A4, A5, B4, B5; - PAPER HANDLING: Recommended paper size: SRA3, A3, A4, A5, A6, B4, B5, B6; Paper input capacity: of at least 1,200 sheets; - Interface: with SD Slot, USB Host Interface, Ethernet 10 base-T/100 base TX/ 1000 Base-T, mobile printing capacity; - Accessories: With Lifetime free service machine maintenance, warranty and software included with ONE (1) set of toners/inks, and 3KVA AVR 	
2	<p>DIGITAL DUPLICATOR</p> <ul style="list-style-type: none"> -Printing process: Fully-automatic one-drum stencil system; Originals: Sheet (one original sheet only); Print speed: at least 60 per minute; Resolution: at least 300 x 300 dpi; Reproduction ratios: Pre-set enlargement: 115, 122, 141%; Pre- 	

set reduction: 71, 82, 87, 93%; Paper feed: delivery table capacity: at least 500 sheets; Power source: 220-240 V, 50 – 60 Hz; with Cabinet and 3KVA AVR

Name of Bidder over Printed Name

Date