

		Particular	Q TY	Unit	Unit Cost	Total Cost
G. 1 lot Supply and Delivery of 4 units DSLR Camera/ Video Camera (Brand - new)			1	lot		195,000.00
IGI-42	DSLR Camera	DSLR Camera with 18-140mm kit and accessories 24.2 MP DX-format CMOS sensor with no optical low-pass filter (OLPF); 39-point Autofocus (AF) system; 5 frames per second continuous shooting ISO 100 - 25,600; High resolution, vary-angle LCD with familiar, smartphone-like touchscreen for easy use; 1080/60p HD video capabilities allow for capture of fast-moving subjects or creating slow motion effects; built-in Wi-Fi and smartphone compatibility for instant sharing; with 128Gb SD card, Bag, tripod, mini HDMI to HDMI cable	1	unit	50,000.00	50,000.00
IGI-43	DSLR Camera	DSLR Camera with 18-140mm kit and accessories 24.2 MP DX-format CMOS sensor with no optical low-pass filter (OLPF); 39-point Autofocus (AF) system; 5 frames per second continuous shooting ISO 100 - 25,600; High resolution, vary-angle LCD with familiar, smartphone-like touchscreen for easy use; 1080/60p HD video capabilities allow for capture of fast-moving subjects or creating slow motion effects; built-in Wi-Fi and smartphone compatibility for instant sharing; with 128Gb SD card, Bag, tripod, mini HDMI to HDMI cable	1	unit	50,000.00	50,000.00
GAA-31	DSLR Camera	DSLR Camera with 18-140mm kit and accessories 24.2 MP DX-format CMOS sensor with no optical low-pass filter (OLPF); 39-point Autofocus (AF) system; 5 frames per second continuous shooting ISO 100 - 25,600; High resolution, vary-angle LCD with familiar, smartphone-like touchscreen for easy use; 1080/60p HD video capabilities allow for capture of fast-moving subjects or creating slow motion effects; built-in Wi-Fi and smartphone compatibility for instant sharing; with 128Gb SD card, Bag, tripod, mini HDMI to HDMI cable	1	unit	45,000.00	45,000.00

IGI-44	Video Camera Camcorder	with these minimum requirements: (sensor type:1/2.5 type (0.28 in [7.20 mm])) back-illuminated, effective video: approx. 8.29 Megapixels (16:9)15, optical zoom:20x, clear image zoom:4K: 30x, HD: 40x16; screen type:7.5 cm (3.0 type) Clear Photo LCD display (460,800 dots) Wide (16:9), bag, battery, battery charger, tripod	1	unit	50,000.00	50,000.00
H. 1 lot Supply and Delivery Photocopiers (Brand - new)			1	lot		550,000.00
IGI-45	Photocopier	Copier Printer Fax Scanner with LAN,1. Warm-up time: at least 25 seconds, First output time: Full color 7.6 seconds; B/W 5.4 seconds, Continuous output speed: Full color 20ppm; B/W 20 ppm, Memory: Standard 2GB; Maximum 4GB, HDD: 250 GB,Power Source: 220V, 60Hz 2. Copying process: Dry Electrostatic Transfer System with Dual component Development: 4-Drum method; Multiple copying: Up to 999 copies: Resolution: 600 dpi/ 4 bit; Zoom: From 25% to 400% in 1% step, Resolution: Maximum: 1,800 x 600 dpi / 2 bit, Interface: Standard: SD Slot, USB Host Interface, Ethernet 10 base-T/100 base TX/ 1000 Base-T;3.SCANNER: Scanning Speed: ARDF Max. 80 originals per minute; SPDF Max. 110 (simplex)/ 180 (duplex) originals per minute; Resolution: Maximum 1,200 dpi; Original size: A3, A4, A5, B4, B5; Bundled drivers: Network TWAIN; Scan to: Email (with LDAP support), Folder (SMB/FTP), URL, Media (USB/SD card); FAX (OPTION): Circuit: PSTN, PBX; Compatibility: ITU-T (CCITT) G3, Additional G3 Option; Resolution: Standard: 8 x 3.85 line/mm, 200 x 100 dpi, 8 x 7.7 line/mm, 200 x 200 dpi; 4. PAPER HANDLING: Recommended paper size: SRA3, A3, A4, A5, A6, B4, B5, B6; Paper input capacity: Standard 1,200 sheets, Maximum: 2,300 sheets; Paper output capacity: Maximum 1,625 sheets; Paper weight: 60-300 g/m², Power Consumption: Maximum: 1,700/ 1,700 W; Ready Mode: 50.2/50.2 W; Sleep Mode: 0.90/0.90 W; TEC (Typical Electricity Consumption) 0.7/0.9 kW/h, 5. Accessories: With Lifetime free service machine maintenance, warranty and software included with 1 free set of toners/inks, and 3KVA AVR	1	unit	300,000.00	300,000.00
IGI-46	Photocopier	Type: Digital, desktop; Printing process: Fully-automatic one-drum stencil system; Originals: Sheet (one original sheet only); Original size: Minimum: 90 x 140 mmMaximum: 275 x 395 mm; Print paper size: Minimum: 90 x 140 mm; Maximum: 275 x 395 mm; Print paper weight: 35.0-127.9 g/m²; Print area: Maximum 250 x 355 mm; Print speed:	1	unit	250,000.00	250,000.00

		60 – 90 sheets per minute (2 steps); First print speed: Less than 40 seconds; Resolution: 300 x 300 dpi; Image modes: Letter mode, Photo mode, Photo/Letter mode; Image position: Vertical: ± 10 mm; Horizontal: ± 10 mm; Reproduction ratios: Pre-set enlargement: 115, 122, 141%Pre-set reduction: 71, 82, 87, 93%; Zoom: No; Color printing: By replacing color drumPaper feed/; delivery table capacity: 500 sheets (80 g/m²); Power source: 220-240 V, 50 – 60 Hz; Power consumption: Maximum: Master making: less than 175 W; Printing: Less than 175 W (at 90 sheets per minute); Standby: 35 W; ADDED VALUE FEATURES; Auto background correction, auto cycle, photo/letter mode, tint mode, SP mode; (for technical service use only), combine two originals, spot color printing with optional color drum units.; OPTIONS; Network controller printer unit type VC-20; Interface board type 20; Color drum type 20 (B4); Cabinet, 3000KVA AVR				
I.	1 lot Supply and Delivery of 1 unit Interactive White Board (Brand - new)		1	lot	180,000.00	180,000.00
	Interactive Whiteboard	Interactive Whiteboard, 75"Internal Speakers10W (x2), on screen display picture, screen, audio, time, advanced options, operating System Android 9.0 or higher; CPU Quad-core:1.5GHz; Memory2GB DDR4; Storage16GB; (eMMC)Media Player System Android Contrast Ratio1,200:1Viewing Angles178° horizontal, 178° vertical Display Resolution3840 x 2160Colors1.07BViewable Area (in.)75Dynamic Contrast Ratio5,000:1Backlight Life (Hours)30,000Response Time (Typical GTG)8msLight SourceDLEDBrightness330 cd/m2Panel Surface Hard Coat - Anti-Glare, 1% Haze, 3H with anti-glare treatment Aspect Ratio16:9Screen Size75Operation Rating16/7Gross (kg)36.1Net (kg)27.3Net (lbs.)60.2Gross (lbs.)79.6RCA Audio In1SPDIF Audio Out1USB 2.01RS232 In1HDMI 2.0 In2Wi-Fi/Bluetooth Slot1Ethernet LAN (RJ45); ACCESSORIES : Remote control with batteries, Quick Start Guide, Power cable, HDMI Cable, Wall Mount Screws and RS232 cable; warranty on parts, labor and backlight.				
J. 1 lot Supply and Delivery of 15 units Kiosk Library Tablet (Brand - new)			1	lot	20,000.00	300,000.00

IGI-48	Kiosk Library Tablet	Kiosk Library Tablet with these minimum specifications: Processor: Qualcomm Snapdragon; Display size: 10.4" or higher; RAM: 6GB OR higher; ROM: 128GB or Higher; OS: Android 11 or higher; Camera: Rear 8MP + Front 4MP or Higher; Connectivity: Wi-Fi, Bluetooth; Battery: 7000mAh or higher Accessories: Charger & Tablet Kiosk anti-theft holder (anti-theft holder stand/wall mount; anti-theft lock; fits to 10"to 12" tablet; material: Metal)				
K. 1 lot Supply and Delivery of various brand - new items of IT Peripherals			1	lot		61,257.18
	AVR	3000watts, 220v input, 4 universal sockets, 3000va max capacity, servo motor with carbon brush	1	unit	3,500.00	3,500.00
		USB Hub, 5 ports, 1.5 m usb 3.0	5	unit	800.00	4,000.00
	Keyboard w/ mouse	Wireless keyboard and mouse, battery-operated, rechargeable	2	unit	2,500.00	5,000.00
	Speakers for Desktop	Speaker System with Subwoofer, 3.5mm input, 50 Watts Peak/25 Watts RMS power with aux input and headphone jack	8	unit	1,250.29	10,002.32
	Wireless Presenter	Wireless Presenter, remote with Laser pointer, up to 50-foot (15 meter) range, red laser pointer, Plug and Play, Wireless mini receiver, Class 2 laser, 10m wireless range, 2.4 GHz connection	9	unit	2,000.00	18,000.00
	External Hard Drive	External Hard Drive, 1tb, 2.5" hdd, usb 3.0 (backward compatible with usb 2.0)	1	unit	3,000.00	3,000.00
	VGA to HDMI Adapter Converter Output	VGA to HDMI Adapter Converter Output, 1080p HD Video Cable with Audio Support for TV/AV/HDTV; Resolution:1920*1080; Line length:0.3M	3	pc		1,550.00
	HDMI Cable	HDMI Cable, 5M. Male to A Male Cable: Supports 2k,3D, 4K video and Audio Return Channel (ARC) .4K x 2K	4	pc		3,604.86
	HDMI Cable	HDMI Cable, 5M. Male to A Male Cable: Supports 2k,3D, 4K video and Audio Return Channel (ARC) .4K x 2K	1	pc	600.00	600.00
	HDMI CORD	HDMI Cable, 5M. Male to A Male Cable: Supports 2k,3D, 4K video and Audio Return Channel (ARC) .4K x 2K	5	pcs.	2,000.00	10,000.00
	CAT6 Cable	CAT6 Cable, 35 Meters long, both ends terminated with RJ45	1	pc	2,000.00	2,000.00
		xxxxxxx			TOTAL	1,286,257.18