

Republic of the Philippines

Benguet State University

2601 La Trinidad, Benguet


www.bsu.edu.ph

Telefax No. (074) 661-1839; Email:procurement@bsu.edu.ph

REQUEST FOR QUOTATION (RFQ) (ALL ENTRIES ARE MANDATORY)

Name	e of Owner/ Corporation/ Cooperative/ Agency:	QUOTATION NO. /339
Name	e of Business :	DATE: NOV 1 0 2023
Addr	ress:	P.R. NO. :2023-09-1211
Emai	il addres:Telephone No	ABC: Php. 377,000.00 FUND SOURCE: GAA-2023
	The Benguet State University through its Bids and Awards Comm item/s listed below under the following	
2. [3. \	All entries must be written legibly and accurately. Delivery period is within15 calendar days. Warranty period shall be for a minimum of three months, in case of exponsions expendable supplies from date of acceptance by the University.	pendable supplies, and a minimum of one year in case of
5. (Price validity shall be for a period of30 calendar days. Compliance with specifications: Kindly specify in the column provided specifications or a counter offer.	
	Deadline of submission of quotation is on or before5:00 pm_sealed or open quotation in person, or through facsimile (074-66	
1	The item/s shall be procured by:a) line item;b) lot; Business Permit Number :,(If renewal of Business Permit is st No:, date of OR : for	Il on process, please indicate OR
	* PhilGEPS Registration Number:	REYNANTE B. BASCO Chairperson, BAC (Goeds Services)
(College/Dept./Office: OVPRE	01 11-10-13

Item	Qty	Unit	Item		pecifications and Model)		ABC	Unit	Total Cost
No.	Gity	Oilit	item	COMPLY	COUNTER OFFER		ADO	Cost	Total oos
1	1	unit	Deep Fryer, professional table top electric fryer, single tank, stainless steel body and frying basket, 8L capacity, Dimensions: 320mm H x 280mm W x 425mm D, Power: 230V/ 60Hz/ 1Ph, 3400 watts, equipped with precise bulb thermostat, double safety thermostat, pilot light and microswitch		T T	P	40,000.00		
2	1	nnit	Table with sink, Material: pure 304, 14 gauge, stainless steel Dimensions(L x W x H): 7'x3'x2.8' Double tub with stainless steel under shelf and a plastic bullet feet, 10 " backsplash with rounded edges and a 4" high riser			₽	49,000.00		
3	1	unit	Working Table with Built in Cabinets, Materials: pure 304, 16 gauge, stainless steel top Dimensions(L x W x H): 5.75'x3'x2.8' wooden cabinets with stainless steel handle, rounded edged			P	49,000.00		
4	1	unif	Working Table, Materials: pure 304, 14 gauge stainless steel with under shelf Dimensions(L x W x H): 7.9'x3'x2.8', rounded edges, with plastic bullet feet			P	49,000.00		









FRONT VIEW

- Table with sink
 Material: Pure 304 14 Gauge Stainless Steel Dimensions (LxWxH): 7'x3'x2.8'
 Double tub with Stainless Steel under shelf and a plastic bullet feet
- 10" Backsplash with rounded edges and a 4" high riser












Pictures as a basis





TOP VIEW


FRONT VIEW



Working Table with Built in Cabinets


- Material:
- Pure 304 16 gauge Stainless Steel Top
 Wooden cabinets with stainless steel handles
- Dimensions (LxWxH): 5.7'x3'x2.8' Rounded edges






- Working Table
 Material: Pure 304 14 gauge Stainless Steel with under shelf
 Dimensions (LxWxH): 7.9'x3'x2.8'
 Rounded edges
 With plastic bullet feet





- Working Table
 Material: Pure 304 14 gauge Stainless Steel with under shelf
 Dimensions (LxWxH): 6.10'x3'x2.8'
 With plastic bullet feet
 Rounded edges



Pulvurizer / Grinder

Fineness: 5mm-60mesh
Capacity: 10-15 kg
Voltage: 220V
Speed: 2850 RPM



Centrifugal Juicer (Juice Extractor)

٠

Motor Speed: 2800 RPM

Motor: 750W

Voltage: 220V/60HzNet Weight: 30 kg

Dimension (LxWxH): 450 x 360 x 600 mm

Stainless steel parts directly in contact with the food

Aluminum alloy body



Horizontal Continuous Band Sealer

•

•

Sealing Speed: 0-12m/minSealing Width: 6-12mmVoltage: 220V/60Hz

Max conveyor loading: 3 kg

• Dimension (LxWxH): 850 x 400 x 310 mm









Digital Weighing Scale (1kg)

- Display mode: LCD blue light, easy to use.
- Capacity: 1000 grams
- Resolution: 0.1 g
- Weighing unit: g, gn, ct oz, ozt. deadweight
- Power: Cr2032
- Accuracy: 0.1 g / 0.01 g
- Material: ABS
- Color: silver Size: 125*105*15mm,
- Platform size: 10*10cm
- Weight: 195 grams
- Style: charging model



			XXXXXXXXXX	2,000.00	
10	1	unit	Coffee/Grain/Nut Grinder or Milling Machine Food-grade stainless hopper Cast iron rotating and static disc With coarse/fine adjustment mechanism Voltage: 220V; Rotary speed: 1500r/min; Power: 2.2KW; Weight: 38-42kg approx. Equipment Dimension/Size: 55x26x45cm approx.	₱ 45,000.00 377,000.00	
9	1	unit	Pulvurizer/Grinder Fully Stainless steel Voltage: 220V Speed: 2850 RPM Fineness: 5mm-60 mesh Dimension: 67 x 30 x 30cm	₽ 32,000.00	
8	1	unit	Digital Weighing Scale Display mode: LCD blue light, easy to use, capacity: 1000 grams; resolution: 0.1g; weighing unit: g, gn, ct oz, ozt. Deadweight; power: Cr2032; accuracy: 0.1 g /0.01g; material: ABS; color: silver size: 125*105*15mm, platform size: 10*10cm; weight: 195 grams; style: charging model	P 10,000.00	
7	1	unit	Horizontal Continuous Band Sealer Material: Stainless steel body with emboss printing Sealing Width: 10mm, Sealing speed: 0- 12m/min Voltage: 220V / 60Hz Dimension (LxWxH): 850 x 400 x 310 mm, max conveyer loading: 3 kg	₱ 14,000.00	
6	1	unit	Centrifugal Juicer, Motor Speed: 2800rpm Motor: 750W, net weight: 30 kg Voltage: 220V / 60Hz / 1Ph Dimension(Lx W x H): 450 x 360 x 600 mm Stainless steel parts directly in contact with the food, aluminum alloy body	₽ 40,000.00	
5	1	unit	Working Table, Materials: pure 304, 14 gauge, stainless Steel under shelf Dimensions(Lx W x H): 6.10'x3'x2.8', rounded edges, with plastic bullet feet	₽ 49,000.00	

Counter offers:	
Delivery Period:	
Warranty:	
Price Validity:	
We hereby submit our quotations, accept the general conditions for the abo	ve items and be bound by our offer.
We hereby submit our quotations, accept the general conditions for the about	ve items and be bound by our offer.
We hereby submit our quotations, accept the general conditions for the about	ve items and be bound by our offer. Date and Time of Receipt of RFQ

 $^{f *}$ Not a ground for disqualification for failure to indicate but required as a condition for award.

Revised: 9/19/2022

2 of 2

RFQ 1339